

Gorilla Wood Glue

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Gorilla Wood Glue CAS No. Not applicable. EC No. Not applicable. Registration number(s) Not known.

Unique Formula Identifier (UFI) Q800-U0RP-S00J-1PNP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Adhesives. Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet

Manufacturer

Gorilla Glue Europe Ltd Company Identification Address of Manufacturer 26 Eaton Avenue Matrix Park **Buckshaw Village**

Chorley Lancashire PR7 7NA

Postal code Telephone: 01257 241 319

E-mail Eucustomercare@gorillaglue.com

Office hours 08:30 - 17:00

Supplier

Company Identification Gorilla Glue Europe Ltd Address of Supplier 26 Eaton Avenue Matrix Park **Buckshaw Village**

Chorley Lancashire

Postal code PR77NA Telephone: 01257 241 319

E-mail Eucustomercare@gorillaglue.com

Office hours 08:30 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +44 (0)843 507 1200 Contact Stuart Shotton

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Skin Sens. 1A: May cause an allergic skin reaction.

UK SI 2020/1567 Eye Irrit. 2: Causes serious eye irritation.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name Gorilla Wood Glue Hazard Pictogram(s)

GHS07

Signal Word(s) Warning

Hazard Statement(s) H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children. P261: Avoid breathing vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Page: 1 - 8 Revision: 2



Gorilla Wood Glue

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

| HAZARDOUS INGREDIENT(S) | CAS No. | EC No. / Registration number(s) | %W/W | Hazard Statement(s) | Hazard Pictogram(s) | |
|---|------------|---------------------------------|---------|--|----------------------------------|--|
| Acetic acid ethenyl ester, polymer with ethenol | 25213-24-5 | 607-648-9 | 1-5 | Eye Irrit. 2 H319 | GHS07 | |
| 1-phenoxypropan-2-ol | 770-35-4 | 212-222-7 | 1-5 | Eye Irrit. 2 H319 | GHS07 | |
| Aluminum chloride, basic | 1327-41-9 | 215-477-2 | 0.1-1.0 | Met. Corr. 1 H290 Eye Dam. 1 H318 | GHS05 | |
| Vinyl acetate | 108-05-4 | 203-545-4 | <0.1 | Flam. Liq. 2 H225 Acute Tox. 4 H332 STOT SE 3 H335 Carc. 2 H351 | GHS02 GHS08 GHS07 | |
| Methanol | 67-56-1 | 200-659-6 | <0.1 | Flam. Liq. 2 H225 Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT SE 1 H370 | GHS02 GHS06 GHS08 | |
| Formaldehyde | 50-00-0 | 200-001-8 | <0.05 | Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Acute Tox. 3 H331 Muta. 2 H341 Carc. 1B H350 | GHS06 GHS05 GHS08 GHS07 | |
| 2-methyl-2H-isothiazol-3-one | 2682-20-4 | 220-239-6 | <0.05 | Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Acute 1 H410 EUH071 | GHS06 GHS05 GHS07 GHS09 | |
| Acetaldehyde | 75-07-0 | 200-836-8 | <0.01 | Flam. Liq. 1 H224 Eye Irrit. 2 H319 STOT SE 3 H335 Muta. 2 H341 Carc. 1B H350 | GHS02 GHS08 GHS07 | |
| Acrylamide | 79-06-1 | 201-173-7 | <0.01 | Acute Tox. 3 H301 Acute Tox. 4 H312 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Muta. 1B H340 Carc. 1B H350 Repr. 2 H361f STOT RE 1 H372 | GHS06 GHS08 GHS07 | |

For full text of H/P Statements see section 16.

Page: 2 - 8 Revision: 2

GORILLA F

Skin Contact

Date of Issue: 14-03-22 Date of Revision: 24-08-22

Gorilla Wood Glue

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. If symptoms develop, obtain medical attention.

Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Wash out mouth with water. If symptoms develop, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None.

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical,

foam or waterspray.

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

None anticipated. May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Wash hands and exposed skin after use. Contaminated work

clothing should not be allowed out of the workplace.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a

container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid breathing vapours. Avoid contact with skin and eyes. Wear

protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Take off contaminated clothing and wash it

before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated place. Do not freeze.

Storage temperature Ambient

Storage life Stable under normal conditions. Incompatible materials Strong oxidising agents.

7.3 Specific end use(s)

Adhesives.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Page: 3 - 8 Revision: 2



Gorilla Wood Glue

| SUBSTANCE | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m ³) | STEL (ppm) | STEL (mg/m³) | Note |
|--------------------------|-----------|---------------------|------------------------------------|------------|--------------|----------|
| Aluminium salts, soluble | 1327-41-9 | | 2 | | | |
| Vinyl acetate | 108-05-4 | 5 | 17.6 | 10 | 35.2 | |
| Formaldehyde | 50-00-0 | 2 | 2.5 | 2 | 2.5 | Carc |
| Methanol | 67-56-1 | 200 | 266 | 250 | 333 | Sk |
| Acetaldehyde | 75-07-0 | 20 | 37 | 50 | 92 | Carc |
| Acrylamide | 79-06-1 | | 0.1 | | | Carc, Sk |

Region United Kingdom

Source UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

Notes Capable of causing cancer and/or heritable genetic damage. Carc

Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning

purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear protective eye glasses for protection against liquid splashes.

Skin protection Wear suitable gloves if prolonged skin contact is likely: Nitrile rubber.

Breakthrough time of the glove material: refer to the information provided by the

gloves' producer.

Respiratory protection

Normally no personal respiratory protection is necessary.

In case of insufficient ventilation, wear suitable respiratory equipment.



Thermal hazards Not applicable.

Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid. Colour: Brown.

Odour Ether-like. Odour threshold Not known. рΗ 3-4 Melting point/freezing point 0°C Initial boiling point and boiling range 100°C Flash Point Not known. Evaporation rate Not known. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive Not known.

limits

23hPa @ 20°C Vapour pressure Vapour density Not known. Density (g/ml) Not known. Relative density Not known.

Solubility (Water): Dispersible. Solubility(ies)

Solubility (Other): Not known.

Page: 4 - 8 Revision: 2



Gorilla Wood Glue

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature (°C)
Viscosity
Explosive properties
Oxidising properties
Oxidising properties
9.2 Other information

Not known.
Not explosive.
Not oxidising.

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight. Do not allow material to freeze.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Low oral toxicity.

Calculated acute toxicity estimate (ATE): 86206.90000

Acute toxicity - Skin Contact Low acute toxicity.

Calculated acute toxicity estimate (ATE): 261904.77000

Acute toxicity - Inhalation Low acute toxicity.

Calculated acute toxicity estimate (ATE): 1434.78000

Skin corrosion/irritation Non-irritant.

Serious eye damage/irritation Causes serious eye irritation. No data.
Skin sensitization data May cause an allergic skin reaction. No data.

Germ cell mutagenicity

There is no evidence of mutagenic potential.

No evidence of carcinogenic effects.

Reproductive toxicity

No evidence of carcinogenic effects.

Lactation Not classified.

STOT - single exposure None anticipated.

STOT - repeated exposure None anticipated.

Aspiration hazard Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Dispersible in water. The product is predicted to have high mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Page: 5 - 8 Revision: 2



Gorilla Wood Glue

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not dispose of with household waste. Dispose at suitable refuse site. Incineration

by an approved method could be considered.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable 14.2 UN proper shipping name

14.3 Transport hazard class(es)

Not applicable

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Acrylamide (79-06-1), N(hydroxymethyl)acrylamide (924-42-5)

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XIV) Formaldehyde (50-00-0), Methanol (67-56-1), Acetaldehyde (75-07-0),

Restrictions on the manufacture, placing Acrylamide (79-06-1), Acetic acid ethenyl ester, polymer with ethenol (25213-24-5),

on the market and use of certain 1-phenoxypropan-2-ol (770-35-4), Aluminum chloride, basic (1327-41-9),

dangerous substances, mixtures and

articles

2-methyl-2H-isothiazol-3-one (2682-20-4), Vinyl acetate (108-05-4)

The Persistent Organic Pollutants

Not listed

Not listed

Regulations 2007 (SI 2007/3106) as

amended
The Ozone-Depleting Substances and

Not listed

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583)

NOT IISTEU

The Prior Informed Consent (PIC)

Regulations concerning the export and

Not listed

import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Aluminum chloride, basic (1327-41-9), Vinyl acetate (108-05-4),

Formaldehyde (50-00-0), Methanol (67-56-1)

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 3, 11

LEGEND

Page: 6 - 8 Revision: 2



Gorilla Wood Glue

Hazard Pictogram(s)



GH301

GHS02: GHS: Flame GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones GHS08: GHS: Health hazard GHS09: GHS: Environment

Hazard classification

Flam. Liq. 1 : Flammable liquid, Category 1 Flam. Liq. 2 : Flammable liquid, Category 2

Met. Corr. 1 : Substance or mixture corrosive to metals, Category 1

Acute Tox. 3: Acute toxicity, Category 3
Acute Tox. 4: Acute toxicity, Category 4

Skin Corr. 1B: Skin corrosion/irritation, Category 1B Skin Irrit. 2: Skin corrosion/irritation, Category 2 Skin Sens. 1: Skin sensitization, Category 1 Skin Sens. 1A: Skin sensitization, Category 1A

Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Acute Tox. 2 : Acute toxicity, Category 2

STOT SE 3: Specific target organ toxicity — single exposure, Category 3

Muta. 1B: Germ cell mutagenicity, Category 1B
Muta. 2: Germ cell mutagenicity, Category 2
Carc. 1B: Carcinogenicity, Category 1B
Carc. 2: Carcinogenicity, Category 2
Repr. 2: Reproductive toxicity, Category 2

STOT SE 1: Specific target organ toxicity — single exposure, Category 1 STOT RE 1: Specific target organ toxicity — repeated exposure, Category 1 Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Hazard Statement(s)

H224: Extremely flammable liquid and vapour.

H225: Highly flammable liquid and vapour.

H290: May be corrosive to metals.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H340: May cause genetic defects.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H351: Suspected of causing cancer.

H361f: Suspected of damaging fertility.

H370: Causes damage to organs.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

EUH071: Corrosive to the respiratory tract.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing vapours.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

Page: 7 - 8 Revision: 2



Gorilla Wood Glue

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures EC: European Community LTEL: Long term exposure limit

PBT: Persistent, Bioaccumulative and Toxic

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 8 - 8 Revision: 2